

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	1	((bus\$1 adj bar) with (terminal adj lead) with (conical adj bore or taper adj bore or bore near3 cone) with (solder\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:13
S7	1	((bus\$1 adj bar) same (terminal adj lead) same (conical adj bore or taper adj bore or bore near3 cone) same (solder\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:14
S8	3	((bus\$1 adj bar) same (terminal adj lead) same (conical adj bore or taper adj bore or bore near3 cone) same (solder\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:14
S9	3	((bus\$1 adj bar) and (terminal adj lead) and (conical adj bore or taper adj bore or bore near3 cone) and (solder\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:16
S10	1	((bus\$1 adj bar) and (terminal adj lead) and (conical adj bore or taper adj bore or bore near3 cone) and (solder\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:16
S11	3	((bus\$1 adj bar) and (terminal adj lead) and (conical adj bore or taper adj bore or bore near3 cone) and (solder\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:17

S12	2	((bus\$1 adj bar) with (terminal adj lead) with (bore or aperture or hole or opening or via) with (solder \$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:18
S13	1	((bus\$1 adj bar) with (terminal adj lead) with (bore or aperture or hole or opening or via) with (solder \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:18
S14	1	((bus\$1 adj bar) and (terminal adj lead) and (bore or aperture or hole or opening or via) and (solder\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:20
S15	3	((bus\$1 adj bar) and (terminal adj lead) and (bore or aperture or hole or opening or via) and (solder\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:20
S16	139	((bus\$1 adj bar) and (terminal adj lead) and (bore or aperture or hole or opening or via) and (solder\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:21
S18	136	S16 not (S1 or S3 or S7 or S8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:22
S19	914	((terminal adj lead or wire\$1 near3 end\$1) and (bore or aperture or hole or opening or via) and (solder \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:26

S20	1124	((terminal adj lead or wire\$1 near3 end\$1) and (bore or aperture or hole or opening or via) and (solder \$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:26
S21	67	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:26
S22	66	S21 not (S16 or S1 or S3 or S7 or S8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:27
S23	21	((bus\$1) and (terminal adj lead or wire\$1 near3 end\$1) and (bore or aperture or hole or opening or via) and (solder \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:30
S24	18	((bus\$1) and (terminal adj lead or wire\$1 near3 end\$1) and (bore or aperture or hole or opening or via) and (solder \$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:30
S25	2	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:31
S26	18	S23 not (S21 or S16 or S1 or S3 or S7 or S8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:31

S27	14	S24 not (S23 or S21 or S16 or S1 or S3 or S7 or S8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 14:32
S29	9292	(((174/260) or (174/16.2) or (174/68.2) or (174/72B) or (174/71B) or (174/88B) or (174/70B) or (174/99B) or (174/129B) or (174/133B) or (174/149B) or (257/691) or (257/E23.079) or (439/76.2) or (361/775) or (361/648) or (361/639) or (361/637) or (361/624) or (361/611)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/24 15:03
S30	854	S29 and ((bus\$1) and (bore or aperture or hole or opening or via) and (solder\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 15:04
S31	2142	S29 and ((component adj lead or component adj terminal or terminal adj lead or wire\$1 near3 end\$1 or pin) and (bore or aperture or hole or opening or via) and (solder \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 15:06
S32	575	S30 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 15:12

S33	544	S32 not (S24 or S23 or S21 or S16 or S1 or S3 or S7 or S8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 15:13
S34	2421	S30 or S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 15:21
S35	74	S34 and ((conical or taper or cone or angle) near3 (hole or bore or via or opening or aperture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 15:23
S37	273	S30 not (S35 or S32 or S24 or S23 or S21 or S16 or S1 or S3 or S7 or S8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 15:56
S38	1527	S31 not (S30 or S35 or S32 or S24 or S23 or S21 or S16 or S1 or S3 or S7 or S8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 16:01
S39	66	((bus\$1) and (bar) and (copper or cu or aluminum or al) and (solder \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 16:23
S40	60	((bus\$1) and (bar) and (copper or cu or aluminum or al) and (solder \$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 16:23
S41	1	S39 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 16:23

3/27/08 1:18:47 PM

C:\Documents and Settings\ipatel\My Documents\EAST\Workspaces
\10589569MAR08.wsp